

POP UP Collection

IEF**LUCASMEYER
COSMETICS**

DETOX CHARCOAL MASK

18.008.01 C190

- Claims:**
- Homogeneous and luminous dark grey color
 - Easy to spread and rinse-off/rub creamy mask
 - Comfortable texture leaving the skin soft
 - 100% Cosmos registered ingredients

PHASE	INGREDIENT	INCI NAME	SUPPLIER	%
A	Deionized Water Dermofeel® PA-3	Water Sodium Phytate (and) Water (and) Alcohol	- Dr Straetmans	45.80 0.10
B	Ecogel™	Lysolecithin (and) Sclerotium Gum (and) Xanthan Gum (and) Pullulan	Lucas Meyer Cosmetics	2.00
C	Glycerin Unipure White LC987 Unipure Black LC988	Glycerin CI 77891 CI 77499	Interchimie Sensient Cosmetic Technologies Sensient Cosmetic Technologies	4.00 2.00 2.00
D	Bamboo Charcoal Powder	Charcoal Powder	GFN-Selco	1.50
E	Heliofeel™ Schercemol™ 1818 Lipex SheaLight™ Lipex IllipeSoft™	Glyceryl Stearate Citrate (and) Polyglyceryl-3 Stearate (and) Hydrogenated Lecithin Isostearyl Isostearate Shea Butter Ethyl Esters Shorea Stenoptera Seed Butter	Lucas Meyer Cosmetics Lubrizol AAK AAK	1.00 5.00 5.00 5.00
F	Dermofeel® Toco 70 non GMO	Tocopherol (and) Helianthus Annuus (Sunflower) Seed Oil	Dr Straetmans	0.10
G	Colloidal Kaolin 2457 USP/BC	Kaolin	Brenntag	25.00
H	Verstatil® TBG	Triethyl Citrate (and) Glyceryl Caprylate (and) Benzoic Acid	Dr Straetmans	1.50

Manufacturing Procedure:

1. Heat A and E up to 75°C.
2. Add B and develop the gel during 20 minutes.
3. Add the premix C and check the homogeneity.
4. Add D.
5. Add E and F just before emulsifying and increase stirring rate up to maximum stirring and maintain during 3 minutes.
6. Cool down under medium stirring below 40°C.
7. Add F, G slowly and H.

Formula Specifications:

Aspect: Thick black cream
Viscosity (Brookfield LV, spindle 4, 6 rpm, 1 min): 40 000 - 55 000 cP
pH: 4.5 - 5.0
Centrifugation (3000 rpm, 20 min): Stable