

SNOW CREAMY EYE SHADOW

8.203.02 C53

- Claims:**
- Gel-cream texture
 - Cool touch
 - Paraben free

PHASE	INGREDIENT	INCI NAME	SUPPLIER	%
A	Deionized Water Dermafeel® PA-3	Water	-	73.85
		Sodium Phytate (and) Water (and) Alcohol	Dr Straetmans	0.20
B	Glycerin Amigel®	Glycerin	Interchimie	3.00
		Sclerotium Gum	Alban Muller	0.50
C	Heliogel™ Dermafeel® GDI KSG-15 Dow Corning® 200 Fluid 350 cSt Vitapherole® E-1000	Sodium Acrylates Copolymer (and) Hydrogenated Polydecene (and) Phospholipids (and) Polyglyceryl-10 Stearate (and) Helianthus Annuus (Sunflower) Seed Oil	Lucas Meyer Cosmetics	3.00
		Glyceryl Diisostearate	Dr Straetmans	5.00
		Cyclopentasiloxane (and) Dimethicone/Vinyl Dimethicone Crosspolymer	Shin Etsu	2.00
		Dimethicone	Dow Corning	2.00
		Tocopherol (and) Helianthus Annuus (Sunflower) Seed Oil	Dr Straetmans	0.20
D	Riboxy™	Ribose	Lucas Meyer Cosmetics	1.00
E	Dermosoft® 1388	Glycerin (and) Water (and) Sodium Levulinate (and) Sodium Anisate	Dr Straetmans	4.00
F	Sunshine® Glitter White	Synthetic Fluorophlogopite (and) Titanium Dioxide	Maprecos	4.00
	Sunshine® Super Glitter White	Synthetic Fluorophlogopite (and) Titanium Dioxide	Maprecos	0.25
	Sunshine® Glitter Blue	Synthetic Fluorophlogopite (and) Titanium Dioxide	Maprecos	1.00

Manufacturing Procedure:

1. Heat A and C up to 80°C
2. Mix B.
3. Add B into A under stirring until the gel is developed.
4. Add C into AB under strong stirring and mix until the product is thick and homogeneous.
5. Cool down under slow stirring.
6. Add D, E and F below 40°C.
7. Adjust the pH if necessary.

Formula Specifications:

Aspect: Sparkling ivory gel cream.

Viscosity (Rheo ELV-8, spindle 4, 3 min, 6 rpm): 40 000 - 50 000 cP

pH: 5.0 - 5.5

Stability Tests:

Centrifugation (3000 rpm, 20 min): Stable