

## MY MAGIC ACTIVE PRIMER

15.007.01 C155

- Claims:**
- Surprising low in silicone texture
  - SI/W emulsion
  - Cool effect and lightness sensation
  - Anti-gravity effect

PHASE	INGREDIENT	INCI NAME	SUPPLIER	%
A	Deionized Water	Water	-	75.00
	Chlorphenesin	Chlorphenesin	Azelis	0.30
	Dermofeel™ PA-3	Sodium Phytate (and) Water (and) Alcohol	Dr Straetmans	0.10
B	Progeline™	Glycerin (and) Water (and) Dextran (and) Trifluoroacetyl Tripeptide-2	Lucas Meyer Cosmetics	0.50
C	MSS 500W	Silica	Kobo	2.00
	TR-1	Nylon-6	Kobo	1.50
	SP-10	Nylon-12	Kobo	1.50
	Lecigel™	Sodium Acrylates Copolymer (and) Lecithin	Lucas Meyer Cosmetics	2.00
D	Dow Corning® 9045 Silicone Elastomer Blend	Cyclopentasiloxane (and) Dimethicone Crosspolymer	Dow Corning	6.00
	KSG-15 Silicone Elastomer	Cyclopentasiloxane (and) Dimethicone/Vinyl Dimethicone Crosspolymer	Shin-Etsu	3.00
	BRB DM 100	Dimethicone	BRB	6.00
E	Granlux® AOX-GL	Glycerin (and) Picea Abies Extract	Granula*	1.00
F	Verstatil PC	Phenoxyethanol (and) Caprylyl Glycol	Dr Straetmans	1.10

### Manufacturing Procedure: COLD PROCESS

1. Prepare D: mix under slow stirring until the mixture is homogeneous and clear.
2. Prepare A.
3. Add B into A under stirring.
4. Add C into AB under maximum stirring to develop the gel.
5. Add D into ABC under maximum stirring to emulsify during 5 minutes.
6. Add E and F under medium stirring.
7. Adjust the pH if necessary.

### Formula Specifications:

Aspect: White cream  
 Viscosity (Rheo ELV 8, spindle 4, 6 rpm, 3 min): > 100 000 cP  
 pH: 5.5 - 6.0  
 Preservative efficacy test: Pass  
 Pilot batch: 38 kg

**Stability Tests:** On lab batch up to 1 kg  
 Up to 1 month at 50°C  
 Up to 3 months at: Room Temperature, 4-8°C and 45°C  
 Centrifugation (3000 rpm, 20 min): Stable

\* Distributed in France by Lucas Meyer Cosmetics.